

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
	10/825,876	04/16/2004	Edward J. McGunn	00272P0015US	8620
	WOOD, PHILLIPS, KATZ, CLARK & MORTIMER 500 W. MADISON STREET			EXAMINER	
				LEE, BENJAMIN C	
	SUITE 3800 CHICAGO, IL	60661		ART UNIT	PAPER NUMBER
	,			2612	<u> </u>
				MAIL DATE	DELIVERY MODE
				10/29/2007	PAPER .

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

			۸۸
	Application No.	Applicant(s)	ħ.
	10/825,876	MCGUNN ET AL.	
Office Action Summary	Examiner	Art Unit	-
	Benjamin C. Lee	2612	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet w	rith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period or Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUN 36(a). In no event, however, may a will apply and will expire SIX (6) MO 3, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on <u>20 A</u> This action is FINAL . 2b)⊠ This Since this application is in condition for alloware closed in accordance with the practice under E	action is non-final. nce except for formal ma	•	
Disposition of Claims			
4) Claim(s) 44-62 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 44-62 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	wn from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to drawing(s) be held in abeya tion is required if the drawing	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in a rity documents have been u (PCT Rule 17.2(a)).	Application No n received in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application 	

Application/Control Number: 10/825,876 Page 2

Art Unit: 2612

DETAILED ACTION

Claim Status

1. Claims 44-62 are pending.

Claim Rejections - 35 USC § 103

- 2. Claims 44-45, 48-49, 51, 53-54, 57-60 and 62 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker (US pat. #5,742,034) in view of Takeshi (JP2005070926A).
 - 1) Regarding claims 44-45:
- a) Meeker discloses the claimed safe (10 of Fig. 1) comprising: a housing (Fig. 1); a door (12) moveably mounted to the housing; an electronic lock including a lock control circuit for selectively opening or locking the door (40 according to col. 3, line 10-25); and a control unit ("CPU") operatively associated with the electronic lock for monitoring activities (including transactions performed with the electronic lock of claim 45) performed with the safe, (col. 3, line 54 to col. 4, line 22, 35-39 and 47-52), the control unit comprising a communication interface for communication on a network, the control unit automatically transmitting information associated with the monitored activities to a user via the network (information communication through communication port 154 according to col. 4, lines 45-53, which communication/transmission is automatic since no manual intervention is involved); except:
 - a) the claimed said network is an external network;
 - b) specifying whether the control unit is a programmable control unit as claimed;
- c) that the control unit automatically transmitting said information responsive to select changes in status of the monitored activities.

Application/Control Number: 10/825,876

Art Unit: 2612

However, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention that the control unit in Meeker can be implemented using either a fixed-configuration or programmable type control unit to perform its intended function/operation in the system, and wherein a programmable control unit can be specifically chosen as a general purpose control unit to be programmed for its intended function/operation at a later stage or reconfigured when changes are needed.

Page 3

Furthermore, Takeshi teaches the known monitoring status of an electric lock remotely by automatically (no user intervention) communicating lock status and status change information to a remote user responsive to select (non-specified by claim) changes in status of the monitored activities (lock status) through an external network (Internet, LAN according to [0002], [0014-[0016]). In view of the teachings by Meeker and Takeshi, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to implement the remote monitoring using an external network such as through the external Internet or LAN of Takeshi to allow users interested in the monitoring to be remotely located beyond the premise of the safes having locks in Meeker, and that transmitting monitored data to the remote monitoring station responsive to select changes in status of the monitored activities prevents unnecessary transmission of previously transmitted status and frivolous information in the status reports in Meeker.

2) Regarding claim 48, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 44, including the claimed: wherein the control unit monitors transactions with the electronic lock over a period of time and records information related to said transactions that identifies the type of transaction performed through the electronic lock, and the recorded

Application/Control Number: 10/825,876 Page 4

Art Unit: 2612

information is transmitted over the communication interface (col. 3, line 60 to col. 4, line 53 of Meeker.)

- Regarding claim 49, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 48, including the claimed: wherein the control unit stores an audit trail of monitored transactions including security information associated with each monitored transaction (col. 4, lines 44-53 of Meeker.)
- 4) Regarding claim 50, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 44, including the claimed: wherein the control unit comprises a programmed computer using a graphical user interface based operating system (20, 22, 24 of Fig. 1 and col. 2, lines 21-53 of Meeker which includes disclosure of a CPU and software.)
- 4) Regarding claim 51, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 44, except: specifying the claimed modem.

However, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to include a modem in the remote communication system through an external network such as an Internet in Meeker and Takeshi so that information communication can be implemented in the form of modulated/demodulated data for secure and reliable communication of such information.

- 5) Regarding claims 53 and 57-58, Meeker and Takeshi render obvious all of the claimed subject matter as in the consideration of claims 44, 48 and 49, respectively.
- 6) Regarding claim 54, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 53, plus the consideration of claim 45.

Art Unit: 2612

7) Regarding claim 59, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 53, plus the consideration of claim 50.

- 8) Regarding claim 60, Meeker met all of the claimed subject matter as in claim 53, plus the consideration of claim 51.
- 9) Regarding claim 62, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 53, including:

--the claimed wherein the control unit selectively marks the recorded security information in response to the occurrence of at least one specific transaction ("date", "time", "nature", "tampering", "transaction numbers" selective indications/marks according to col. 4, lines 41-43 and col. 3, line 65 to col. 4, line 3 of Meeker.)

- 3. Claims 46 and 55 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker in view of Takeshi and Wagner (US pat. #3,878,511).
- 1) Regarding claim 46, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 44, except: the claimed wherein the electronic lock comprises a duress sensor and the control unit transmits indication of a duress condition determined by the duress sensor.

Meeker's safe includes monitoring and reporting by transmission of a security condition in the form of tampering (col. 4, lines 1 and 15-16), while Wagner teaches a lockable safe which includes a duress sensor allowing an authorized person to summon help by transmission of the duress condition in case of emergency such as under the threat of a person intent on gaining unlawful access to the safe (col. 9, lines 35-51 and col. 11, lines 8-24). In view of the teachings by Meeker, Takeshi and Wagner, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to include a duress sensor and indication transmission feature

Art Unit: 2612

as taught by Wagner in a safe monitoring and reporting system of Meeker and Takeshi so that a duress condition can be monitored and reported to enhance the security and safety of the safe as well as the authorized personnel.

- 2) Regarding claim 55, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 53, plus the consideration of claim 46 in view of Wagner.
- 4. Claims 47 and 56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker in view of Takeshi and Bentley (US pat. #6,529,723)
- 1) Regarding claim 47, Meeker and Takeshi render all of the claimed subject matter as in claim 44, except: the claimed wherein the control unit transmits information associated with the monitored activities to a user via the external network with an email notification.

While Meeker and Takeshi did not specify the type of notification format with the reporting/transmission of information associated with the monitored activities through the external network such as the Internet, Bentley teaches the known use of email as a way of notifying a user of the monitored activities including door lock activities (col. 3, line 53; col. 4, lines 48-53; col. 5, line 47.) In view of the teachings by Meeker, Takeshi and Bentley, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to implement an email notification as taught by Bentley in a system such as taught by Meeker and Takeshi as a convenient way of user notification based on user's preference.

- 2) Regarding claim 56, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 53, plus the consideration of claim 47 in view of Bentley.
- 5. Claims 52 and 61 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker in view of Takeshi and Nishijima (US pat. #5,915,069)

Art Unit: 2612

1) Regarding claim 52, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 44, except: the claimed further comprising a video capture device operatively associated with the control unit for monitoring an external area proximate the safe, wherein the monitored activities comprise video information recorded by the control unit.

In the same art of monitoring a safe, Nishijima teaches a video capture and recording system on a safe that is integrated with the safe's transaction activity sensors such as door sensors and motion sensors for remote monitoring (Figs. 1 and 6; col. 3, lines 1-61.)

In view of the teachings by Meeker, Takeshi and Nishijima, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to include video monitoring as taught by Nishijima in the safe monitoring system of Meeker and Takeshi so that video monitoring as well as video evidence can be included for detail analysis and evidence proof purposes.

2) Regarding claim 61, Meeker and Takeshi render obvious all of the claimed subject matter as in claim 53, plus the consideration of claim 52 in view of Nishijima.

Response to Arguments

- 6. Applicant's arguments with respect to claim8/20/07 have been considered but are moot in view of the new ground(s) of rejection.
- 1) The claimed "external network" has been given its narrower interpretation commensurate with the specification disclosure and Applicant's arguments. As a result the above new ground of rejection has been made using additional reference of Takeshi.
- 2) The above rejection further addresses the claimed transmitting monitored lock data responsive to changes of the monitored activities.

Application/Control Number: 10/825,876 Page 8

Art Unit: 2612

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. US 2007/0132836: A similar monitoring of deposit/withdrawal of funds in bank

vaults using video monitoring through a network.

8. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Benjamin C. Lee whose telephone number is (571) 272-2963.

The examiner can normally be reached on Mon -Thu 9:00Am-5:30Pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Daniel Wu can be reached on (571) 272-2964. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Benjamin & Lee

Primary Examiner

Art Unit 2612

B.L.